ELSEVIER

Neuroscience Letters 245 (1998) 180–182

Neuroscience Letters

# Author Index to Volume 245

Agapito, M.T., Pablos, M., Reiter, R.J., Recio, J.M., Gutierrez-Baraja, R., Effects of ethylene glycol tetraacetic acid, A23187 and calmodulin, calcium activated neutral proteinase antagonists on melatonin secretion in perifused chick pineal gland, 143
Al-Sarraj, S.T., see Bajaj, N.P.S., 45
Alster, P., see de Araujo Lucas, G., 13
Altura, B.M., see Zheng, T., 17
Altura, B.T., see Zheng, T., 17
Anderson, V., see Bajaj, N.P.S., 45
Andoh, T., see Shiraki, K., 69
Arai, R., see Nagatsu, I., 41
Arancibia, S., see Rage, F., 175
Atkinson, G., see Waterhouse, J., 97
Atlante, A., Gagliardi, S., Marra, E., Calissano, P., Neuronal apoptosis in rats is accompanied by rapid impairment of cellular respiration and is prevented by scavengers of reactive oxygen species, 127
Avila, J., see Vecino, E., 93

Bach, V., see Telliez, F., 25
Baik, H.H., see Jin, B.K., 61
Baik, H.W., see Jin, B.K., 61
Bajaj, N.P.S., Al-Sarraj, S.T., Anderson, V., Kibble, M., Leigh, N., Miller, C.C.J., Cyclin-dependent kinase-5 is associated with lipofuscin in motor neurones in amyotrophic lateral sclerosis, 45
Bandler, R., see Keay, K.A., 58
Baur, R., see Sigel, E., 85
Behen, M.E., see Müller, R.-A., 1
Beinroth, S., see Schulz, J.B., 9
Belliveau, J., see Ménard, A., 49
Bensa, P., see Ménard, A., 49
Bongenhielm, U., Yates, J.M., Fried, K., Robinson, P.P., Sympathectomy does not affect the early ectopic discharge from myelinated fibres in ferret inferior alveolar nerve neuromas, 89
Bosco, G., see Giaquinta, G., 81
Brandt, T., see Dieterich, M., 29
Brodin, E., see de Araujo Lucas, G., 13
Brosius, J., see Kremerskothen, J., 123

Calissano, P., see Atlante, A., 127
Casabona, A., see Giaquinta, G., 81
Cauquil, A.S., Gervet, M.F.T., Ouaknine, M., Body response to binaural monopolar galvanic vestibular stimulation in humans, 37
Chakraborty, P.K., see Müller, R.-A., 1
Cheng, J.-G., see Kremerskothen, J., 123
Chi, J.G., see Park, I.S., 65
Cho, B.-K., see Park, I.S., 65
Cho, Y.H., see Jin, B.K., 61
Chugani, D.C., see Müller, R.-A., 1
Chugani, H.T., see Müller, R.-A., 1
Constantinescu, L., see Perrin, P., 155

de Araujo Lucas, G., Alster, P., Brodin, E., Wiesenfeld-Hallin, Z., Differential release of cholecystokinin by morphine in rat spinal cord, 13
deSerrano, V., see Scott, B.L., 105
Deviterne, D., see Perrin, P., 155
Dewasmes, G., see Telliez, F., 25
Dieterich, M., Grünbauer, W.M., Brandt, T., Direction-specific impairment of motion perception and spatial orientation in downbeat and upbeat nystagmus in humans, 29

Folkard, S., see Waterhouse, J., 97
Forghani, R., see Nader, R., 135
Fried, K., see Bongenhielm, U., 89
Fujii, T., see Nagatsu, I., 41
Fujimoto, S., see Shimohama, S., 159

Gagliardi, S., see Atlante, A., 127
Garrone, B., Luparini, M.R., Tolu, L., Magnani, M., Landolfi, C., Milanese, C., Effect of the subchronic treatment with the acetylcholinesterase inhibitor heptastigmine on central cholinergic transmission and memory impairment in aged rats, 53
Gervet, M.F.T., see Cauquil, A.S., 37
Giaquinta, G., Casabona, A., Valle, M.S., Bosco, G., Perciavalle, V., Spinocerebellar Purkinje cells and rat forelimb postures: a direction-dependent activity, 81
Gonzalez, F., Perez, R., Modulation of cell responses to horizontal disparities by ocular vergence in the visual cortex of the awake *macaca mulatta* monkey, 101
Grünbauer, W.M., see Dieterich, M., 29
Guerra, M.J., see Rozas, G., 151
Guertin, P.A., Hounsgaard, J., Chemical and electrical stimulation induce rhythmic motor activity in an in vitro preparation of the spinal cord from adult turtles, 5
Guo, X., Rueger, D., Higgins, D., Osteogenic protein-1 and related bone morphogenetic proteins regulate dendritic growth and the expression of microtubule-associated protein-2 in rat sympathetic neurons, 131
Gutierrez-Baraja, R., see Agapito, M.T., 143
Gwag, M.R., see Jin, B.K., 61

Higashima, M., Kinoshita, H., Koshino, Y., Differences in the effects of zolpidem and diazepam on recurrent inhibition and long-term potentiation in rat hippocampal slices, 77
Higgins, D., see Guo, X., 131
Honda, K., see Moriguchi, S., 109
Hong, S.K., see Kim, H.J., 21
Hoshi, Y., Kosaka, S., Xie, Y., Kohri, S., Tamura, M., Relationship

*PII* S0304-3940(98)00270-5

between fluctuations in the cerebral hemoglobin oxygenation state and neuronal activity under resting conditions in man, 147
Hosoya, H., see Shimazaki, K., 117
Hounsgaard, J., see Guertin, P.A., 5

Ikemoto, K., see Nagatsu, I., 41
Ishida, N., see Sakamoto, K., 113

Jensen, A., see Berger, R., 163
Jeong, M.Y., see Jin, B.K., 61
Jin, B.K., Shin, D.Y., Jeong, M.Y., Gwag, M.R., Baik, H.W., Yoon, K.S., Cho, Y.H., Joo, W.S., Kim, Y.S., Baik, H.H., Melatonin protects nigral dopaminergic neurons from 1-methyl-4-phenylpyridinium ($MPP^+$) neurotoxicity in rats, 61
Jolley, M.A., see Ngai, A.C., 171
Joo, W.S., see Jin, B.K., 61

Kageyama, S., see Shiraki, K., 69
Kamiya, H.-o., see Moriguchi, S., 109
Kamiyama, T., see Shiraki, K., 69
Kanemaru, K., Mitani, K., Yamanouchi, H., Cerebrospinal fluid homovanillic acid levels are not reduced in early corticobasal degeneration, 121
Karasawa, N., see Nagatsu, I., 41
Keay, K.A., Bandler, R., Vascular head pain selectively activates ventrolateral periaqueductal gray in the cat, 58
Kibble, M., see Bajaj, N.P.S., 45
Kim, H.J., Na, H.S., Sung, B., Hong, S.K., Amount of sympathetic sprouting in the dorsal root ganglia is not correlated to the level of sympathetic dependence of neuropathic pain in a rat model, 21
Kim, Y.S., see Jin, B.K., 61
Kinoshita, H., see Higashima, M., 77
Klockgether, T., see Schulz, J.B., 9
Kobayashi, S., see Shimazaki, K., 117
Koga, N., see Moriguchi, S., 109
Kohri, S., see Hoshi, Y., 147
Kosaka, S., see Hoshi, Y., 147
Koshino, Y., see Higashima, M., 77
Kremerskothen, J., Zopf, D., Walter, P., Cheng, J.-G., Nettermann, M., Niewerth, U., Maraia, R.J., Brosius, J., Heterodimer SRP9/14 is an integral part of the neural BC200 RNP in primate brain, 123
Krnjević, K., see Nader, R., 135
Kurokawa, M., see Shiraki, K., 69

Labandeira-Garcia, J.L., see Rozas, G., 151
Landolfi, C., see Garrone, B., 53
Leigh, N., see Bajaj, N.P.S., 45
Leke, A., see Telliez, F., 25
Li, W., see Zheng, T., 17
Li, Z.H., see Shiraki, K., 69
Libert, J.-P., see Telliez, F., 25
Liste, I., see Rozas, G., 151
Luparini, M.R., see Garrone, B., 53

Ménard, A., Pierig, R., Pelletier, J., Bensa, P., Belliveau, J., Mandrand, B., Perron, H., Rieger, F., Detection of a gliotoxic activity in the cerebrospinal fluid from multiple sclerosis patients, 49
Müller, R.-A., Chugani, D.C., Behen, M.E., Rothermel, R.D., Muzik, O., Chakraborty, P.K., Chugani, H.T., Impairment of dentato-thalamo-cortical pathway in autistic men: language activation data from positron emission tomography, 1
Macdonald, I., see Waterhouse, J., 97
Magnani, M., see Garrone, B., 53
Mandrand, B., see Ménard, A., 49
Maraia, R.J., see Kremerskothen, J., 123
Marra, E., see Atlante, A., 127
Mascetti, G.G., Binocular behavior of split-brain cats which have previously learned monocularly opposite visual discriminations, 167
Masuda, Y., One-to-one synchronization between the cardiac sympathetic nerve stimuli and heart beats in rats, 73
Meno, J.R., see Ngai, A.C., 171
Metabolic disturbances in hippocampal slices of fetal guinea pigs during and after oxygen-glucose deprivation: is nitric oxide involved?, 163
Mihara, M., see Tohgi, H., 139
Milanese, C., see Garrone, B., 53
Miller, C.C.J., see Bajaj, N.P.S., 45
Minors, D., see Waterhouse, J., 97
Mitani, K., see Kanemaru, K., 121
Mizunami, M., see Nishikawa, M., 33
Moriguchi, S., Ohzuru, N., Koga, N., Honda, K., Saito, R., Takano, Y., Kamiya, H.-o., Central administration of a nitric oxide synthase inhibitor causes pressor responses via the sympathetic nervous system and the renin-angiotensin system in Wistar rats, 109
Moss, N.C., see Scott, B.L., 105
Muzik, O., see Müller, R.-A., 1

Na, H.S., see Kim, H.J., 21
Nader, R., Forghani, R., Krnjević, K., In rat hippocampal slices, NMDA receptor-mediated EPSPs are more sensitive to hypoxia than AMPA receptor-mediated EPSPs, 135
Nagane, Y., see Tohgi, H., 139
Nagatsu, I., Ikemoto, K., Takeuchi, T., Arai, R., Karasawa, N., Fujii, T., Nagatsu, T., Phenylethanolamine-*N*-methyltransferase – immunoreactive nerve terminals afferent to the mouse substantia nigra, 41
Nagatsu, T., see Nagatsu, I., 41
Nettermann, M., see Kremerskothen, J., 123
Netzer, R., see Sigel, E., 85
Ngai, A.C., Meno, J.R., Jolley, M.A., Winn, H.R., Suppression of somatosensory evoked potentials by nitric oxide synthase inhibition in rats: methodological differences, 171
Niewerth, U., see Kremerskothen, J., 123
Nishikawa, M., Nishino, H., Mizunami, M., Yokohari, F., Function-specific distribution patterns of axon terminals of input neurons in the calyces of the mushroom body of the cockroach, *Periplaneta americana*, 33
Nishino, H., see Nishikawa, M., 33

Ohzuru, N., see Moriguchi, S., 109
Ouaknine, M., see Cauquil, A.S., 37
Owens, D., see Waterhouse, J., 97

Pablos, M., see Agapito, M.T., 143
Park, I.S., Cho, B.-K., Chi, J.G., Wang, K.-C., Cell kinetics of surgically induced spinal open neural tube defect in chick embryos, 65
Paschen, W., see Berger, R., 163
Pelletier, J., see Ménard, A., 49
Perciavalle, V., see Giaquinta, G., 81
Perez, R., see Gonzalez, F., 101

Perrin, P., Schneider, D., Deviterne, D., Perrot, C., Constantinescu, L., Training improves the adaptation to changing visual conditions in maintaining human posture control in a test of sinusoidal oscillation of the support, 155
Perron, H., see Ménard, A., 49
Perrot, C., see Perrin, P., 155
Pierig, R., see Ménard, A., 49

Rage, F., Arancibia, S., Tapia-Arancibia, L., Effect of acute, but not chronic ethanol treatment on somatostatin secretion in rat hypothalamic neurons, 175
Recio, J.M., see Agapito, M.T., 143
Reilly, T., see Waterhouse, J., 97
Reiter, R.J., see Agapito, M.T., 143
Rieger, F., see Ménard, A., 49
Robinson, P.P., see Bongenhielm, U., 89
Roses, A.D., see Scott, B.L., 105
Rothermel, R.D., see Müller, R.-A., 1
Rozas, G., Liste, I., Guerra, M.J., Labandeira-Garcia, J.L., Sprouting of the serotonergic afferents into striatum after selective lesion of the dopaminergic system by MPTP in adult mice, 151
Rueger, D., see Guo, X., 131
Rundfeldt, C., see Sigel, E., 85

Saito, R., see Moriguchi, S., 109
Sakamoto, K., Ishida, N., Circadian expression of serotonin *N*-acetyltransferase mRNA in the rat retina, 113
Sato, H., see Shiraki, K., 69
Schneider, D., see Perrin, P., 155
Schulz, J.B., Beinroth, S., Weller, M., Wüllner, U., Klockgether, T., Endonucleolytic DNA fragmentation is not required for apoptosis of cultured rat cerebellar granule neurons, 9
Scott, B.L., Welch, K., deSerrano, V., Moss, N.C., Roses, A.D., Strittmatter, W.J., Human apolipoprotein E accelerates microtubule polymerization in vitro, 105
Shimazaki, K., Hosoya, H., Takeda, Y., Kobayashi, S., Watanabe, K., Age-related decline of F3/Contactin in rat hippocampus, 117
Shimohama, S., Tanino, H., Sumida, Y., Tsuda, J., Fujimoto, S., Alteration of *myo*-inositol monophosphatase in Alzheimer's disease brains, 159
Shin, D.Y., see Jin, B.K., 61
Shiraki, K., Yamamura, J.-i., Kurokawa, M., Andoh, T., Sato, H., Yoshida, Y., Li, Z.H., Kamiyama, T., Kageyama, S., A live non-neurovirulent herpes simplex virus vector expresses $\beta$-galactosidase in the nervous system of the Wistar and Sprague-Dawley strain rat for a prolonged period, 69
Sigel, E., Baur, R., Netzer, R., Rundfeldt, C., The antiepileptic drug AWD 131–138 stimulates different recombinant isoforms of the rat $GABA_A$ receptor through the benzodiazepine binding site, 85
Strittmatter, W.J., see Scott, B.L., 105
Sumida, Y., see Shimohama, S., 159
Sung, B., see Kim, H.J., 21
Sytnik, N., see Waterhouse, J., 97

Takano, Y., see Moriguchi, S., 109
Takeda, Y., see Shimazaki, K., 117
Takeuchi, T., see Nagatsu, I., 41
Tamura, M., see Hoshi, Y., 147
Tanino, H., see Shimohama, S., 159
Tapia-Arancibia, L., see Rage, F., 175
Telliez, F., Bach, V., Dewasmes, G., Leke, A., Libert, J.-P., Sleep modifications during cool acclimation in human neonates, 25
Tohgi, H., Utsugisawa, K., Yoshimura, M., Nagane, Y., Mihara, M., Age-related changes in nicotinic acetylcholine receptor subunits $\alpha$4 and $\beta$2 messenger RNA expression in postmortem human frontal cortex and hippocampus, 139
Tolu, L., see Garrone, B., 53
Tsuda, J., see Shimohama, S., 159
Tucker, P., see Waterhouse, J., 97

Ulloa, L., see Vecino, E., 93
Utsugisawa, K., see Tohgi, H., 139

Valle, M.S., see Giaquinta, G., 81
Vecino, E., Ulloa, L., Avila, J., The phosphorylated isoform of microtubule associated protein 1B (MAP1B) is expressed in the visual system of the tench (*Tinca tinca*, L) during optic nerve regeneration, 93

Wüllner, U., see Schulz, J.B., 9
Walter, P., see Kremerskothen, J., 123
Wang, K.-C., see Park, I.S., 65
Watanabe, K., see Shimazaki, K., 117
Waterhouse, J., Minors, D., Folkard, S., Owens, D., Atkinson, G., Macdonald, I., Reilly, T., Sytnik, N., Tucker, P., Light of domestic intensity produces phase shifts of the circadian oscillator in humans, 97
Welch, K., see Scott, B.L., 105
Weller, M., see Schulz, J.B., 9
Wiesenfeld-Hallin, Z., see de Araujo Lucas, G., 13
Winn, H.R., see Ngai, A.C., 171

Xie, Y., see Hoshi, Y., 147

Yamamura, J.-i., see Shiraki, K., 69
Yamanouchi, H., see Kanemaru, K., 121
Yates, J.M., see Bongenhielm, U., 89
Yokohari, F., see Nishikawa, M., 33
Yoon, K.S., see Jin, B.K., 61
Yoshida, Y., see Shiraki, K., 69
Yoshimura, M., see Tohgi, H., 139

Zhang, A., see Zheng, T., 17
Zheng, T., Li, W., Zhang, A., Altura, B.T., Altura, B.M., $\alpha$-Tocopherol prevents ethanol-induced elevation of $[Ca^{2+}]_i$ in cultured canine cerebral vascular smooth muscle cells, 17
Zopf, D., see Kremerskothen, J., 123